

# Safety data sheet

Page: 1/10

BASF Safety data sheet

Date / Revised: 16.03.2021

Product: **Seclira WSG Insecticide**

Version: 2.1

(30676473/SDS\_CPA\_AU/EN)

Date of print 23.08.2021

## 1. Substance/preparation and manufacturer/supplier identification

### Seclira WSG Insecticide

Use: crop protection product, insecticide

Recommended use: biocide

Manufacturer/supplier:

BASF SE

67056 Ludwigshafen

GERMANY

Contact address:

BASF Australia Limited (ABN 62 008 437 867)

Level 12, 28 Freshwater Place Southbank

Victoria 3006

AUSTRALIA

Telephone: +61 3 8855-6600

Telefax number: +61 3 8855-6511

Emergency information:

BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia]

BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

## 2. Hazard identification

Classification of the substance and mixture:

Hazardous to the aquatic environment - acute: Cat. 1

Hazardous to the aquatic environment - chronic: Cat. 1

Label elements and precautionary statement:

BASF Safety data sheet  
Date / Revised: 16.03.2021  
Product: **Seclira WSG Insecticide**

Version: 2.1

(30676473/SDS\_CPA\_AU/EN)

Date of print 23.08.2021

Pictogram:



Signal Word:  
Warning

Hazard Statement:

H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statement:

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P103 Read carefully and follow all instructions.

Precautionary Statements (Response):

P391 Collect spillage.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste collection point.

Other hazards which do not result in classification:

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

---

### 3. Composition/information on ingredients

#### Chemical nature

insecticide, water dispersible granules

#### Hazardous ingredients

dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine  
Content (W/W): 40 % Acute Tox.: Cat. 4 (oral)  
CAS Number: 165252-70-0 Aquatic Acute: Cat. 1  
Aquatic Chronic: Cat. 1

---

### 4. First-Aid Measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air.

On skin contact:  
Wash thoroughly with soap and water

On contact with eyes:  
Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:  
Rinse mouth and then drink 200-300 ml of water.

Note to physician:  
Symptoms: (Further) symptoms and / or effects are not known so far  
Treatment: Symptomatic treatment (decontamination, vital functions).

---

## 5. Fire-Fighting Measures

Suitable extinguishing media:  
water spray, dry powder, foam

Unsuitable extinguishing media for safety reasons:  
carbon dioxide

Specific hazards:  
carbon monoxide, carbon dioxide, nitrogen oxides, acid halides  
The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:  
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:  
Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

---

## 6. Accidental Release Measures

Personal precautions:  
Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Avoid dust formation.

Environmental precautions:  
Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:  
For small amounts: Contain with dust binding material and dispose of.  
For large amounts: Sweep/shovel up.  
Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Avoid raising dust.

---

## 7. Handling and Storage

### Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

### Protection against fire and explosion:

Avoid dust formation. Dust can form an explosive mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

### Storage

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight. Protect against moisture.

## 8. Exposure controls and personal protection

### Components with occupational exposure limits

No occupational exposure limits known.

### Personal protective equipment

#### Respiratory protection:

Respiratory protection not required.

#### Hand protection:

Chemical resistant protective gloves

#### Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

#### Body protection:

Standard work clothes and shoes.

#### General safety and hygiene measures:

Avoid contact with the skin, eyes and clothing. In order to prevent contamination while handling, closed working clothes and working gloves should be used. Wash contaminated clothing before reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Before eating, drinking, or smoking, wash face and hands with soap and water.

## 9. Physical and Chemical Properties

Form:	free flowing fine granules
Colour:	white
Odour:	odourless
Odour threshold:	not applicable, odour not perceivable

BASF Safety data sheet  
Date / Revised: 16.03.2021  
Product: **Seclira WSG Insecticide**

Version: 2.1

(30676473/SDS\_CPA\_AU/EN)

Date of print 23.08.2021

pH value:	approx. 6 - 7 (water, 1 %(m))
melting range:	78 - 109 °C 111 - 144 °C
Boiling point:	not determined
Flash point:	not applicable, the product is a solid
Evaporation rate:	not applicable
Flammability (solid/gas):	not flammable
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.
Self ignition:	not self-igniting
Self heating ability:	It is not a substance capable of spontaneous heating.
Explosion hazard:	not explosive
Fire promoting properties:	not fire-propagating
Vapour pressure:	not applicable
Density:	approx. 0.5 g/cm <sup>3</sup> (20 °C) The statements are based on the properties of the individual components.
Relative vapour density (air):	not applicable
Solubility in water:	dispersible
Information on:	dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine
Partitioning coefficient n-octanol/water (log Pow):	-0.549 (25 °C)

-----  
Viscosity, dynamic: not applicable, the product is a solid

---

## 10. Stability and Reactivity

Conditions to avoid:  
See SDS section 7 - Handling and storage.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Substances to avoid:  
strong oxidizing agents, strong acids, strong bases

Hazardous reactions:  
No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:  
No hazardous decomposition products if stored and handled as prescribed/indicated.

---

## 11. Toxicological Information

### Acute toxicity

Assessment of acute toxicity:  
Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

Experimental/calculated data:  
LD50 rat (oral): > 5,000 mg/kg

LC50 rat (by inhalation): > 5.09 mg/l 4 h  
No mortality was observed.

LD50 rat (dermal): > 5,000 mg/kg

### Irritation

Assessment of irritating effects:  
Not irritating to the skin. Not irritating to the eyes.

Experimental/calculated data:  
Skin corrosion/irritation rabbit: non-irritant

Serious eye damage/irritation rabbit: non-irritant

### Respiratory/Skin sensitization

Assessment of sensitization:  
There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:  
Buehler test guinea pig: Non-sensitizing.

### **Germ cell mutagenicity**

Assessment of mutagenicity:  
The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

### **Carcinogenicity**

Assessment of carcinogenicity:  
The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

### **Reproductive toxicity**

Assessment of reproduction toxicity:  
The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

### **Developmental toxicity**

Assessment of teratogenicity:  
The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

### **Specific target organ toxicity (single exposure):**

Assessment of STOT single:  
The available information is not sufficient for the evaluation of specific target organ toxicity.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

### **Repeated dose toxicity and Specific target organ toxicity (repeated exposure)**

Assessment of repeated dose toxicity:  
The product has not been tested. The statement has been derived from the properties of the individual components. No substance-specific organotoxicity was observed after repeated administration to animals.

### **Aspiration hazard**

The product has not been tested. The statement has been derived from the properties of the individual components.  
No aspiration hazard expected.

## Other relevant toxicity information

Misuse can be harmful to health.

## 12. Ecological Information

### Ecotoxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Toxicity to fish:

LC50 (96 h) > 100 mg/l, *Oncorhynchus mykiss*

LC50 (96 h) > 100 mg/l, *Cyprinus carpio*  
-----

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Aquatic invertebrates:

EC50 (48 h) > 1,000 mg/l, *Daphnia magna*

EC50 (96 h) 0.79 mg/l, *Mysidopsis bahia*  
-----

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Aquatic plants:

EC50 (72 h) 97.6 mg/l (biomass), *Pseudokirchneriella subcapitata*  
-----

### Mobility

Assessment transport between environmental compartments:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Assessment transport between environmental compartments:

Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.  
-----

### Persistence and degradability

Assessment biodegradation and elimination (H<sub>2</sub>O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Assessment biodegradation and elimination (H<sub>2</sub>O):

Not readily biodegradable (by OECD criteria).



BASF Safety data sheet  
Date / Revised: 16.03.2021  
Product: **Seclira WSG Insecticide**

Version: 2.1

(30676473/SDS\_CPA\_AU/EN)

Date of print 23.08.2021

---

-----

### Bioaccumulation potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine

Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

-----

### Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

---

## 13. Disposal Considerations

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

---

## 14. Transport Information

### Domestic transport:

Packing group:	III
ID number:	UN 3077
Transport hazard class(es):	9, EHS
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains DINOTEFURAN)

### Further information

Hazchem Code:2Z

IERG Number:47

### Sea transport

IMDG

Packing group:	III
ID number:	UN 3077
Transport hazard class(es):	9, EHS
Marine pollutant:	YES
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains DINOTEFURAN)

BASF Safety data sheet  
Date / Revised: 16.03.2021  
Product: **Seclira WSG Insecticide**

Version: 2.1

(30676473/SDS\_CPA\_AU/EN)

Date of print 23.08.2021

**Air transport**

IATA/ICAO

Packing group:	III
ID number:	UN 3077
Transport hazard class(es):	9, EHSM
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (contains DINOTEFURAN)

**Further information**

Environmentally Hazardous Substances meeting the description of UN 3077 or UN 3082 are not subjected to the Australian Dangerous Goods Code when transported by road or rail in packagings not exceeding 500 kg(L) or IBCs.

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 kg or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2).

---

**15. Regulatory Information****Other regulations**

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Schedule 5

APVMA Approval No: 83011

---

**16. Other Information**

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.